Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acceleration

Influence of Soil Softening and Liquefaction on Spectral Acceleration. — T. Leslie Youd and Ben L. Carter; 131(7), 811-25 (2005).

Acid mine water

Effect of Acidic Mine Drainage on the Mechanical and Hydraulic Properties of Three Geosynthetics. — S. B. Gulec, C. H. Benson, and T. B. Edil; 131(8), 937-50 (2005).

Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Activated carbon

Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Aging

Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).

Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Decementation, Softening, and Collapse: Changes in Small-Strain Shear Stiffness in k_0 Loading. — Tae Sup Yun and J. Carlos Santamarina; 131(3), 350-8 (2005).

Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).

Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Amplification

Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Analytical techniques

Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).

Anchors

Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).

Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).

Anisotropy

Experimental Investigation on Principal Stress Rotation in Kaolin Clay. — Han Lin and Dayakar Penumadu; 131(5), 633-42 (2005).

Effect of Fiber Reinforcement on the Isotropic Compression Behavior of a Sand. — Nilo Cesar Consoli, Michéle Dal Toé Casagrande, and Matthew Richard Coop; 131(11), 1434-6 (2005).

Atterberg Limits

Impact of Soil Composition on Fall Cone Test Results. — Bojana Dolinar and Ludvik Trauner; 131(1), 126-30 (2005).

Atterberg limits

Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Axial loads

Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (2005).

Backfills

Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).

Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).

Passive Earth Pressure of Overconsolidated Cohesionless Backfill. — Adel Hanna and Imad Al Khoury; 131(8), 978-86 (2005).

Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Barriers

Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

Base course

Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).

Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).

Bearing capacity

Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).

Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).

Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).

Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).

Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).

Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test. — Junhwan Lee and Rodrigo Salgado; 131(4), 442-52 (2005).

Strip Footing Behavior on Pile and Sheet Pile-Stabilized Sand Slope. — Mostafa A. El Sawwaf; 131(6), 705-15 (2005).

Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).

Bearing Capacity of Shallow Foundations in Anisotropic Non-Hoek–Brown Rock Masses. — Mahendra Singh and K. Seshagiri Rao; 131(8), 1014-23 (2005).

Bedrock

Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Bending

Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).

Bentonite

Impact of Bentonite Quality on Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee and Charles D. Shackelford; 131(1), 64-77 (2005).

Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).

Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).

Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstruc-

ture, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).

Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Benzene

Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).

Biological treatment

Leachate Recirculation Using Horizontal Trenches in Bioreactor Landfills. — Mazen M. Haydar and Milind V. Khire; 131(7), 837-47 (2005).

Biomass

Biological Considerations in Geotechnical Engineering. — James K. Mitchell and J. Carlos Santamarina; 131(10), 1222-33 (2005).

Blast effects

Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).

Blasting

Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).

Blocks

Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

Bored piles

Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Bottom ash

Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Braced excavation

Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Bridge abutments

Bridge Abutment Nonlinear Force-Displacement-Capacity Prediction for Seismic Design. — Anoosh Shamsabadi, Mohamed Ashour, and Gary Norris; 131(2), 151-61 (2005).

Bridge design

Bridge Abutment Nonlinear Force-Displacement-Capacity Prediction for Seismic Design. — Anoosh Shamsabadi, Mohamed Ashour, and Gary Norris; 131(2), 151-61 (2005).

Bridges, railroad

Transition of Railroad Bridge Approaches. — Dingqing Li and David Davis; 131(11), 1392-8 (2005).

Brittleness

Decementation, Softening, and Collapse: Changes in Small-Strain Shear Stiffness in k_0 Loading. — Tae Sup Yun and J. Carlos Santamarina; 131(3), 350-8 (2005).

Buckling

Buckling versus Deflection of Buried Flexible Pipe. — W. David Carrier, III; 131(6), 804-7 (2005).

Buildings

Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).

Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).

Buried pipes

Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).

Numerical Modeling of Pipe–Soil Interaction under Oblique Loading. — Peijun Guo; 131(2), 260-8 (2005).

Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).

Buckling versus Deflection of Buried Flexible Pipe. — W. David Carrier, III; 131(6), 804-7 (2005).

Pipeline Supported on a Nonuniform Winkler Soil Model. — W. David Carrier, III; 131(10), 1301-4 (2005).

California

Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Cantilevers

Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).

Case reports

Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Cast in place

Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).

Cation exchange

Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Cavity expansion

Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Cementation

Decementation, Softening, and Collapse: Changes in Small-Strain Shear Stiffness in k_0 Loading. — Tae Sup Yun and J. Carlos Santamarina; 131(3), 350-8 (2005).

Cements

Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Centrifuge

Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).

Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Centrifuge model

Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).

Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).

Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Chemical equilibrium

Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).

Chicago

Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).

China

Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Clay liner

Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Clay liners
Impact of Bentonite Quality on Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee and Charles D. Shackelford; 131(1), 64-77 (2005).
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).
Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).
Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).
BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Clays
Impact of Soil Composition on Fall Cone Test Results. — Bojana Dolinar and Ludvik Trauner; 131(1), 126-30 (2005).
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).
Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).
Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).
Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (2005).
Experimental Investigation on Principal Stress Rotation in Kaolin Clay. — Han Lin and Dayakar Penumadu; 131(5), 633-42 (2005).
Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).
Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).
Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).
Estimating Consolidation Coefficient and Final Settlement: Triangular Excess Pore-Water Pressure. — Sushil K. Singh; 131(8), 1050-5 (2005).
A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Clogging
Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).

Coal mining
Development of an Equivalent Homogenous Fluid Model for Pseudo-Two-Phase (Air+Water) Flow through Fractured Rock. — J. Price and B. Indraratna; 131(7), 857-66 (2005).

Coals
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Cohensionless soils
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).

Cohesionless soils
Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).
Passive Earth Pressure of Overconsolidated Cohesionless Backfill. — Adel Hanna and Imad Al Khoury; 131(8), 978-86 (2005).

Cohesive soils
Impact of Soil Composition on Fall Cone Test Results. — Bojana Dolinar and Ludvik Trauner; 131(1), 126-30 (2005).
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).
Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).
Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).

Cold region
Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).

Colluvium
Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (2005).

Colorado
Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).

Columns
Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Compacted soils
Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).

Comparative studies
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).

Compatibility
Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).

Compression
Effect of Fiber Reinforcement on the Isotropic Compression Behavior of a Sand. — Nilo Cesar Consoli, Michéle Dal Toé Casagrande, and Mathew Richard Coop; 131(11), 1434-6 (2005).

Computer aided simulation
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).

Concrete piles
Guided Waves in Embedded Concrete Piles. — Richard J. Finno and Hsiao-chou Chao; 131(1), 11-9 (2005).

Concrete, reinforced
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).

Cone penetration tests
Impact of Soil Composition on Fall Cone Test Results. — Bojana Dolinar and Ludvik Trauner; 131(1), 126-30 (2005).
In Situ Assessment of Role of Surface Roughness on Interface Response. — J. David Frost and Jason T. DeJong; 131(4), 498-511 (2005).

Confinement
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).

Consolidation
Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Constitutive models
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).

Construction
Pile Behavior—Consequences of Geological and Construction Imperfections. — Harry G. Poulos; 131(5), 538-63 (2005).
Geology: Engineer Ignore It at Your Peril. — Marian P. Rollings and Raymond S. Rollings; 131(6), 783-91 (2005).

Construction methods
Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).

Containment
Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).
Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).
Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).
Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).

Contaminants
The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Core walls
The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Correlation
Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (2005).
A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).

Coupling
Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).

Cracking
Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).

Creep
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).

Crushing
Discrete Element Method Evaluation of Granular Crushing Under Direct Shear Test Conditions. — Sebastian Lobo-Guerrero and Luis E. Vallejo; 131(10), 1295-300 (2005).

Culverts
Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).

Cutoffs
Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).
Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Cyclic loads
Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).
Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).

Cyclic tests
Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).

Damage assessment
Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).

Damage patterns
Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).

Damping ratio
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).
Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Data analysis
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).

Databases
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).

Deep foundation
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Deep foundations
Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).

Defects
Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Deflection
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).
Buckling versus Deflection of Buried Flexible Pipe. — W. David Carrier, III; 131(6), 804-7 (2005).
Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Deformation
Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).
Empirical Relationship between Rock Structure Rating and Modulus of Deformation. — K. Rama Sarma and R. W. Sarsby; 131(3), 390-7 (2005).
Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).

Deformation analysis
Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).
Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).

Desiccation
Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).

Design
Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).
Geology: Engineer Ignore It at Your Peril. — Marian P. Rollings and Raymond S. Rollings; 131(6), 783-91 (2005).
Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Deterioration
Reliability of Deteriorating Slopes. — Raymond W. M. Cheung and Wilson H. Tang; 131(5), 589-97 (2005).

Differential settlement
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).
Pipeline Supported on a Nonuniform Winkler Soil Model. — W. David Carrier, III; 131(10), 1301-4 (2005).
Transition of Railroad Bridge Approaches. — Dingqing Li and David Davis; 131(11), 1392-8 (2005).

Diffusion
Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).
Effect of Surface Fluorination on Diffusion through a High Density Polyethylene Geomembrane. — Henri P. Sangam and R. Kerry Rowe; 131(6), 694-704 (2005).
BTEX Diffusion and Sorption for a Geosynthetic

Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).
Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).

Diffusion coefficient
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).

Digital techniques
Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Dilatancy
Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Discrete elements
Discrete Numerical Model for Analysis of Earth Pressure Balance Tunnel Excavation. — Manuel J. Melis Maynar and Luis E. Medina Rodríguez; 131(10), 1234-42 (2005).
Discrete Element Method Evaluation of Granular Crushing Under Direct Shear Test Conditions. — Sebastian Lobo-Guerrero and Luis E. Vallejo; 131(10), 1295-300 (2005).

Displacement
Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).
Bridge Abutment Nonlinear Force-Displacement-Capacity Prediction for Seismic Design. — Anoosh Shamsabadi, Mohamed Ashour, and Gary Norris; 131(2), 151-61 (2005).
Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).
Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).
Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

Disposal
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Drainage
Effect of Acidic Mine Drainage on the Mechanical and Hydraulic Properties of Three Geosynthetics. — S. B. Gulec, C. H. Benson, and T. B. Edil; 131(8), 937-50 (2005).

Drilled shafts
Guided Waves in Embedded Concrete Piles. — Richard J. Finno and Hsiao-chou Chao; 131(1), 11-9 (2005).
Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Driven piles
Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Dynamic analysis
Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).

Dynamic properties
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).

Dynamic response
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).

Earth pressure
Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).
Passive Earth Pressure of Overconsolidated Cohesionless Backfill. — Adel Hanna and Imad Al Khoury; 131(8), 978-86 (2005).
Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).
Coefficient of Earth Pressure at Rest. — Radoslaw L. Michalowski; 131(11), 1429-33 (2005).

Earthquake damage
Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

Earthquakes
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).
Number of Equivalent Cycles Concept for Liquefaction Evaluations—Revisited. — Russell A. Green and Gregory A. Terri; 131(4), 477-88 (2005).
Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).
Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).
Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Elastic foundations
Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).

Elastic properties
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).

Elastoplasticity
Numerical Modeling of Pipe–Soil Interaction under Oblique Loading. — Peijun Guo; 131(2), 260-8 (2005).
Study of Soil Layering Effects on Lateral Loading Behavior of Piles. — Zhaohui Yang and Boris Jeremić; 131(6), 762-70 (2005).

Electrokinetics
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).

Embankments
Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).
Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Embedded foundations
Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).

Energy dissipation
Guided Waves in Embedded Concrete Piles. — Richard J. Finno and Hsiao-chou Chao; 131(1), 11-9 (2005).

Energy measurement
Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Engineering profession
Geology: Engineer Ignore It at Your Peril. — Marian P. Rollings and Raymond S. Rollings; 131(6), 783-91 (2005).

Erosion
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Excavation
Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).
Effects of Advancing Open Face Tunneling on an Existing Loaded Pile. — Gordon T. K. Lee and Charles W. W. Ng; 131(2), 193-201 (2005).
Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).
Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).
Compound Deep Soil Mixing Columns for Retaining Structures in Excavations. — Yong Shao, Emir Jose Macari, and Weiming Cai; 131(11), 1370-7 (2005).

Expansive soils
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).
Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Experimental data
Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).

Failure investigations
Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

Failures
Reliability of Deteriorating Slopes. — Raymond W. M. Cheung and Wilson H. Tang; 131(5), 589-97 (2005).
Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).
Reliability Analysis of Unsaturated Soil Slopes. — G. L. Sivakumar Babu and D. S. N. Murthy; 131(11), 1423-8 (2005).

Fiber reinforced materials
Effect of Fiber Reinforcement on the Isotropic Compression Behavior of a Sand. — Nilo Cesar Consoli, Michéle Dal Toé Casagrande, and Matthew Richard Coop; 131(11), 1434-6 (2005).

Fibers
Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).

Field investigations
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (2005).

Fills
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Filters
Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).

Fine-grained soils
Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (2005).
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Finite element
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).

Finite element analysis
Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).

Finite element method
Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).
Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).
Numerical Modeling of Pipe–Soil Interaction under Oblique Loading. — Peijun Guo; 131(2), 260-8 (2005).
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).
Study of Soil Layering Effects on Lateral Loading Behavior of Piles. — Zhaohui Yang and Boris Jeremić; 131(6), 762-70 (2005).
Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (2005).
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).

Finite elements
Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).

Flexible pavements
Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).

Flexible pipes
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).
Buckling versus Deflection of Buried Flexible Pipe. — W. David Carrier, III; 131(6), 804-7 (2005).

Florida
Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Flumes
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Fluoridation
Effect of Surface Fluorination on Diffusion through a High Density Polyethylene Geomembrane. — Henri P. Sangam and R. Kerry Rowe; 131(6), 694-704 (2005).

Fly ash
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Footings
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).
Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).
Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test. — Junhwan Lee and Rodrigo Salgado; 131(4), 442-52 (2005).
Strip Footing Behavior on Pile and Sheet Pile-Stabilized Sand Slope. — Mostafa A. El Sawwaf; 131(6), 705-15 (2005).

Foundation design
Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test. — Junhwan Lee and Rodrigo Salgado; 131(4), 442-52 (2005).
Bearing Capacity of Shallow Foundations in Anisotropic Non-Hoek–Brown Rock Masses. — Mahendra Singh and K. Seshagiri Rao; 131(8), 1014-23 (2005).

Foundation settlement
Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).
Pile Behavior—Consequences of Geological and Construction Imperfections. — Harry G. Poulos; 131(5), 538-63 (2005).

Foundations
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).

Fracture
Development of an Equivalent Homogenous Fluid Model for Pseudo-Two-Phase (Air+Water) Flow through Fractured Rock. — J. Price and B. Indraratna; 131(7), 857-66 (2005).

Fractures
Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).

Friction
In Situ Assessment of Role of Surface Roughness on Interface Response. — J. David Frost and Jason T. DeJong; 131(4), 498-511 (2005).
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).

Friction coefficient
A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).

Gas
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Geogrids
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).

Geologic processes
Pile Behavior—Consequences of Geological and Construction Imperfections. — Harry G. Poulos; 131(5), 538-63 (2005).

Geology
Geology: Engineer Ignore It at Your Peril. — Marian P. Rollings and Raymond S. Rollings; 131(6), 783-91 (2005).
Coefficient of Earth Pressure at Rest. — Radoslaw L. Michalowski; 131(11), 1429-33 (2005).

Geomaterials
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).

Geomembranes
Effect of Surface Fluorination on Diffusion through a High Density Polyethylene Geomembrane. — Henri P. Sangam and R. Kerry Rowe; 131(6), 694-704 (2005).

Geometry
Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).

Geosynthetic
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).

Geosynthetics
Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).
Impact of Bentonite Quality on Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee and Charles D. Shackelford; 131(1), 64-77 (2005).
Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).
Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).
Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).
Effect of Acidic Mine Drainage on the Mechanical and Hydraulic Properties of Three Geosynthetics. — S. B. Gulec, C. H. Benson, and T. B. Edil; 131(8), 937-50 (2005).
BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Geotechnical engineering
Biological Considerations in Geotechnical Engineering. — James K. Mitchell and J. Carlos Santamarina; 131(10), 1222-33 (2005).
Compound Deep Soil Mixing Columns for Retaining Structures in Excavations. — Yong Shao, Emir Jose Macari, and Weiming Cai; 131(11), 1370-7 (2005).

Grain size
Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (2005).

Granular materials
Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).
Discrete Element Method Evaluation of Granular Crushing Under Direct Shear Test Conditions. — Sebastian Lobo-Guerrero and Luis E. Vallejo; 131(10), 1295-300 (2005).

Gravel
Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).
Estimating the Shear Modulus of Gravelly Soils. — Bobby O. Hardin and Michael E. Kalinski; 131(7), 867-75 (2005).
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Ground motion
Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).
Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).
Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).
Influence of Soil Softening and Liquefaction on Spectral Acceleration. — T. Leslie Youd and Ben L. Carter; 131(7), 811-25 (2005).
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).

Ground water
Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).

Ground-water pollution
Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

Grouting
Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).

Heat transfer
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Heavy metals
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).

Highway construction
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Humidity

Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).

Hydraulic conductivity

Impact of Bentonite Quality on Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee and Charles D. Shackelford; 131(1), 64-77 (2005).

Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).

Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).

Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).

Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Hydraulic Conductivity

The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Hydraulic conductivity

Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).

Hydraulic Conductivity

Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Hydraulic conductivity

Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).

Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Reliability Analysis of Unsaturated Soil Slopes. — G. L. Sivakumar Babu and D. S. N. Murthy; 131(11), 1423-8 (2005).

Hydraulic properties

Effect of Acidic Mine Drainage on the Mechanical and Hydraulic Properties of Three Geosynthetics. — S. B. Gulec, C. H. Benson, and T. B. Edil; 131(8), 937-50 (2005).

Hydrocarbons

BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).

Hydrographs

SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Hydrologic properties

Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (2005).

Hysteresis

Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (2005).

Illinois

Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).

Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (2005).

Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).

Imaging techniques

Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).

Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

In situ tests

In Situ Assessment of Role of Surface Roughness on Interface Response. — J. David Frost and Jason T. DeJong; 131(4), 498-511 (2005).

Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).

India

Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).

Empirical Relationship between Rock Structure Rating and Modulus of Deformation. — K. Rama Sarma and R. W. Sarsby; 131(3), 390-7 (2005).

Infiltration

Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (2005).

Infrastructure

Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Inorganic chemicals

Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).

Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Installation

Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).

Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Interfaces

In Situ Assessment of Role of Surface Roughness on Interface Response. — J. David Frost and Jason T. DeJong; 131(4), 498-511 (2005).

Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).

Japan

Influence of Soil Softening and Liquefaction on Spectral Acceleration. — T. Leslie Youd and Ben L. Carter; 131(7), 811-25 (2005).

Kaolin

Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).

Experimental Investigation on Principal Stress Rotation in Kaolin Clay. — Han Lin and Dayakar Penumadu; 131(5), 633-42 (2005).

Kinematics

Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).

Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).

Laboratory tests

Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).

Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).

Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).

Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Landfills

Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).

Clogging of Tire Shreds and Gravel Permeated with

Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).
Leachate Recirculation Using Horizontal Trenches in Bioreactor Landfills. — Mazen M. Haydar and Milind V. Khire; 131(7), 837-47 (2005).
Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).
Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (2005).
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Landslides
Landslide Stabilization Using Soil Nail and Mechanically Stabilized Earth Walls: Case Study. — John P. Turner and Wayne G. Jensen; 131(2), 141-50 (2005).
Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).
Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).
Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).
Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Lateral displacement effect
Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Lateral forces
Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).
Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).

Lateral loads
Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).
Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).
Study of Soil Layering Effects on Lateral Loading Behavior of Piles. — Zhaohui Yang and Boris Jeremić; 131(6), 762-70 (2005).
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).
Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Lateral stress
Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).

Layered soils
Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (2005).
Study of Soil Layering Effects on Lateral Loading Behavior of Piles. — Zhaohui Yang and Boris Jeremić; 131(6), 762-70 (2005).
Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Layered systems
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).

Leachates
Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Leaching
Leachate Recirculation Using Horizontal Trenches in Bioreactor Landfills. — Mazen M. Haydar and Milind V. Khire; 131(7), 837-47 (2005).
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Lead
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).

Lime
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).

Limit analysis
Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).

Limit equilibrium
Seismic Passive Earth Pressures in Soils. — K. S. Subba Rao and Deepankar Choudhury; 131(1), 131-5 (2005).

Limit states
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).

Liners
Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (2005).
Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).

Liquefaction
Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).
Number of Equivalent Cycles Concept for Liquefaction Evaluations—Revisited. — Russell A. Green and Gregory A. Terri; 131(4), 477-88 (2005).
Influence of Soil Softening and Liquefaction on Spectral Acceleration. — T. Leslie Youd and Ben L. Carter; 131(7), 811-25 (2005).
Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).
Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).
Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Liquid limit
Nature of Soil–Water Characteristic Curve for Plastic Soils. — Fernando A. M. Marinho; 131(5), 654-61 (2005).

Load distribution
Effects of Advancing Open Face Tunneling on an Existing Loaded Pile. — Gordon T. K. Lee and Charles W. W. Ng; 131(2), 193-201 (2005).

Load tests
Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).
Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (2005).
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Marine clays
Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).

Markov chains
Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).

Maryland
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Material properties
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).

Membrane processes
Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).

Microstructure
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Mineralogy
A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).

Mines
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Mixing
Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).

Mixtures
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).
Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Model tests
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).
Strip Footing Behavior on Pile and Sheet Pile-Stabilized Sand Slope. — Mostafa A. El Sawwaf; 131(6), 705-15 (2005).

Models
Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).

Moisture
Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).

Moisture content
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (2005).

Monitoring
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (2005).

Municipal wastes
Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).
Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Neural networks
Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).

Nondestructive tests
Guided Waves in Embedded Concrete Piles. — Richard J. Finno and Hsiao-chou Chao; 131(1), 11-9 (2005).
Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).
Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Nonlinear analysis
Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).

Numerical analysis
Effects of Advancing Open Face Tunneling on an Existing Loaded Pile. — Gordon T. K. Lee and Charles W. W. Ng; 131(2), 193-201 (2005).
Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Numerical models
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).
Numerical Modeling of Pipe–Soil Interaction under Oblique Loading. — Peijun Guo; 131(2), 260-8 (2005).
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).
Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).
Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).
Discrete Numerical Model for Analysis of Earth Pressure Balance Tunnel Excavation. — Manuel J. Melis Maynar and Luis E. Medina Rodríguez; 131(10), 1234-42 (2005).

Organic matter
Biological Considerations in Geotechnical Engineering. — James K. Mitchell and J. Carlos Santamarina; 131(10), 1222-33 (2005).

Osmosis
Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).

Overconsolidated clays
Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).

Overconsolidated soils
Passive Earth Pressure of Overconsolidated Cohesionless Backfill. — Adel Hanna and Imad Al Khoury; 131(8), 978-86 (2005).

Parameters
Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).
Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (2005).

Particle size
Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).

Particulate media
Discrete Numerical Model for Analysis of Earth Pressure Balance Tunnel Excavation. — Manuel J. Melis Maynar and Luis E. Medina Rodríguez; 131(10), 1234-42 (2005).

Passive pressure
Seismic Passive Earth Pressures in Soils. — K. S. Subba Rao and Deepankar Choudhury; 131(1), 131-5 (2005).
Passive Earth Pressure of Overconsolidated Cohesionless Backfill. — Adel Hanna and Imad Al Khoury; 131(8), 978-86 (2005).

Penetration tests
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).
Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Mar-

celo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).

Penetrometers

Permeability Determination from On-the-Fly Piezocone Sounding. — Derek Elsworth and Dae Sung Lee; 131(5), 643-53 (2005).

Performance

Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).

Performance evaluation

Landslide Stabilization Using Soil Nail and Mechanically Stabilized Earth Walls: Case Study. — John P. Turner and Wayne G. Jensen; 131(2), 141-50 (2005).

Permeability

Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).

Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).

Pile foundations

Pile Behavior—Consequences of Geological and Construction Imperfections. — Harry G. Poulos; 131(5), 538-63 (2005).

Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Pile groups

Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).

Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).

Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (2005).

Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Pile load tests

Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).

Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).

Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).

Pile tests

Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).

Piles

Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).

Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).

Effects of Advancing Open Face Tunneling on an Existing Loaded Pile. — Gordon T. K. Lee and Charles W. W. Ng; 131(2), 193-201 (2005).

Study of Soil Layering Effects on Lateral Loading Behavior of Piles. — Zhaohui Yang and Boris Jeremić; 131(6), 762-70 (2005).

Pipe-soil interaction

Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).

Pipelines

Numerical Modeling of Pipe–Soil Interaction under Oblique Loading. — Peijun Guo; 131(2), 260-8 (2005).

Pipeline Supported on a Nonuniform Winkler Soil Model. — W. David Carrier, III; 131(10), 1301-4 (2005).

Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Plane strain

Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

Plasticity

Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).

Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Pollution control

Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (2005).

Polyethylene

Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).

Pore pressure

Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).

Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Pore size distribution

Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).

Pore water pressure

Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).

Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Estimating Consolidation Coefficient and Final Settlement: Triangular Excess Pore-Water Pressure. — Sushil K. Singh; 131(8), 1050-5 (2005).

Predictions

Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).

Probabilistic methods

Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (2005).

Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Probability

Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).

Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).

Pull-out resistance

Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).

Comparison of Interface Shear Strength of Soil Nails Measured by Both Direct Shear Box Tests and Pullout Tests. — Lok-Man Chu and Jian-Hua Yin; 131(9), 1097-107 (2005).

Railroad ballast

Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).

Railroad tracks

Empirical Relationship between Rock Structure Rating and Modulus of Deformation. — K. Rama Sarma and R. W. Sarsby; 131(3), 390-7 (2005).

Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).

Transition of Railroad Bridge Approaches. — Dingqing Li and David Davis; 131(11), 1392-8 (2005).

Rainfall

Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (2005).

Recirculation

Leachate Recirculation Using Horizontal Trenches in Bioreactor Landfills. — Mazen M. Haydar and Milind V. Khire; 131(7), 837-47 (2005).

Recycling

Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Rehabilitation

Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).

Reinforcement

Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).

Reliability

Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).

Reliability of Deteriorating Slopes. — Raymond W. M. Cheung and Wilson H. Tang; 131(5), 589-97 (2005).

Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Reliability Analysis of Unsaturated Soil Slopes. — G. L. Sivakumar Babu and D. S. N. Murthy; 131(11), 1423-8 (2005).

Remedial action

Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).

Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).

Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Residential location

Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).

Residual strength

Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).

A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).

Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Resonance

Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).

Retaining walls

Seismic Passive Earth Pressures in Soils. — K. S. Subba Rao and Deepankar Choudhury; 131(1), 131-5 (2005).

Landslide Stabilization Using Soil Nail and Mechanically Stabilized Earth Walls: Case Study. — John P. Turner and Wayne G. Jensen; 131(2), 141-50 (2005).

Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).

Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

Compound Deep Soil Mixing Columns for Retaining Structures in Excavations. — Yong Shao, Emir Jose Macari, and Weiming Cai; 131(11), 1370-7 (2005).

Rock masses

Empirical Relationship between Rock Structure Rating and Modulus of Deformation. — K. Rama Sarma and R. W. Sarsby; 131(3), 390-7 (2005).

Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).

Rock structures

Empirical Relationship between Rock Structure Rating and Modulus of Deformation. — K. Rama Sarma and R. W. Sarsby; 131(3), 390-7 (2005).

Rocks

Development of an Equivalent Homogenous Fluid Model for Pseudo-Two-Phase (Air+Water) Flow through Fractured Rock. — J. Price and B. Indraratna; 131(7), 857-66 (2005).

Bearing Capacity of Shallow Foundations in Anisotropic Non-Hoek–Brown Rock Masses. — Mahendra Singh and K. Seshagiri Rao; 131(8), 1014-23 (2005).

Rocky Mountains

Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Rods

Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Rotation

Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).

Experimental Investigation on Principal Stress Rotation in Kaolin Clay. — Han Lin and Dayakar Penumadu; 131(5), 633-42 (2005).

Sand

Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).

Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).

Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).

Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).

Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).

Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).

Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).

Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test. — Junhwan Lee and Rodrigo Salgado; 131(4), 442-52 (2005).

Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Strip Footing Behavior on Pile and Sheet Pile-Stabilized Sand Slope. — Mostafa A. El Sawwaf; 131(6), 705-15 (2005).

Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).

Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).

Coefficient of Earth Pressure at Rest. — Radoslaw L. Michalowski; 131(11), 1429-33 (2005).

Effect of Fiber Reinforcement on the Isotropic Compression Behavior of a Sand. — Nilo Cesar Consoli, Michéle Dal Toé Casagrande, and Matthew Richard Coop; 131(11), 1434-6 (2005).

Saturated soils

Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Permeability Determination from On-the-Fly Piezocone Sounding. — Derek Elsworth and Dae Sung Lee; 131(5), 643-53 (2005).

Scale effect

Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).

Scanning electron microscopes

Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).

Scour
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Sediment
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).

Sedimentation
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Seepage
Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).

Seismic analysis
Seismic Passive Earth Pressures in Soils. — K. S. Subba Rao and Deepankar Choudhury; 131(1), 131-5 (2005).
Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).

Seismic design
Bridge Abutment Nonlinear Force-Displacement-Capacity Prediction for Seismic Design. — Anoosh Shamsabadi, Mohamed Ashour, and Gary Norris; 131(2), 151-61 (2005).
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).

Seismic effects
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Seismic response
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).

Seismic stability
Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

Seismic tests
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).

Settlement
Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).
Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test. — Junhwan Lee and Rodrigo Salgado; 131(4), 442-52 (2005).
Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).
Estimating Consolidation Coefficient and Final Settlement: Triangular Excess Pore-Water Pressure. — Sushil K. Singh; 131(8), 1050-5 (2005).
Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Settlement analysis
Secondary Compression. — G. Mesri and B. Vardhanabhuti; 131(3), 398-401 (2005).

Shaft resistance, piles
Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).

Shafts
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).

Shake table tests
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).
Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).

Shale
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).
Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Shallow foundations
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).
Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).
Bearing Capacity of Shallow Foundations in Anisotropic Non-Hoek–Brown Rock Masses. — Mahendra Singh and K. Seshagiri Rao; 131(8), 1014-23 (2005).

Shape
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).

Shear modulus
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).
Estimating the Shear Modulus of Gravelly Soils. — Bobby O. Hardin and Michael E. Kalinski; 131(7), 867-75 (2005).

Shear strain
Estimating the Shear Modulus of Gravelly Soils. — Bobby O. Hardin and Michael E. Kalinski; 131(7), 867-75 (2005).
Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).

Shear strength
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).
Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).
Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).
Comparison of Interface Shear Strength of Soil Nails Measured by Both Direct Shear Box Tests and Pullout Tests. — Lok-Man Chu and Jian-Hua Yin; 131(9), 1097-107 (2005).
A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Shear tests
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).
Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).
Comparison of Interface Shear Strength of Soil Nails Measured by Both Direct Shear Box Tests and Pullout Tests. — Lok-Man Chu and Jian-Hua Yin; 131(9), 1097-107 (2005).
Discrete Element Method Evaluation of Granular Crushing Under Direct Shear Test Conditions. — Sebastian Lobo-Guerrero and Luis E. Vallejo; 131(10), 1295-300 (2005).

Shear waves
Decementation, Softening, and Collapse: Changes in Small-Strain Shear Stiffness in k_0 Loading. — Tae Sup Yun and J. Carlos Santamarina; 131(3), 350-8 (2005).
Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).

Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).

Sheet piles

Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).

Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).

Strip Footing Behavior on Pile and Sheet Pile-Stabilized Sand Slope. — Mostafa A. El Sawwaf; 131(6), 705-15 (2005).

Shotcrete

Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).

Shrinkage

Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Signal processing

Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).

Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).

Silty soils

Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (2005).

Simulation

Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (2005).

SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Site investigation

Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Skin friction

Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).

Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).

Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Slag

Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

Slope stability

Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).

Reliability of Deteriorating Slopes. — Raymond W. M. Cheung and Wilson H. Tang; 131(5), 589-97 (2005).

Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).

Strip Footing Behavior on Pile and Sheet Pile-Stabilized Sand Slope. — Mostafa A. El Sawwaf; 131(6), 705-15 (2005).

Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).

Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).

Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Slope stabilization

Landslide Stabilization Using Soil Nail and Mechanically Stabilized Earth Walls: Case Study. — John P. Turner and Wayne G. Jensen; 131(2), 141-50 (2005).

Slopes

Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

Reliability Analysis of Unsaturated Soil Slopes. — G. L. Sivakumar Babu and D. S. N. Murthy; 131(11), 1423-8 (2005).

Slurries

Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Slurry walls

Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).

Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

Slurry Walls

Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Soft soils

Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).

Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Softening

Influence of Soil Softening and Liquefaction on Spectral Acceleration. — T. Leslie Youd and Ben L. Carter; 131(7), 811-25 (2005).

Soil cement

Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).

Soil chemistry

Biological Considerations in Geotechnical Engineering. — James K. Mitchell and J. Carlos Santamarina; 131(10), 1222-33 (2005).

Soil compaction

Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Soil compression

Secondary Compression. — G. Mesri and B. Vardhanabhuti; 131(3), 398-401 (2005).

Soil conditions

Pipeline Supported on a Nonuniform Winkler Soil Model. — W. David Carrier, III; 131(10), 1301-4 (2005).

Soil consolidation

Secondary Compression. — G. Mesri and B. Vardhanabhuti; 131(3), 398-401 (2005).

Estimating Consolidation Coefficient and Final Settlement: Triangular Excess Pore-Water Pressure. — Sushil K. Singh; 131(8), 1050-5 (2005).

Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).

Soil deformation

Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).

Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Soil dynamics

Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Estimating the Shear Modulus of Gravelly Soils. — Bobby O. Hardin and Michael E. Kalinski; 131(7), 867-75 (2005).

Soil improvement

Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).

Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).

Soil mechanics

Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).

Soil mixing
Compound Deep Soil Mixing Columns for Retaining Structures in Excavations. — Yong Shao, Emir Jose Macari, and Weiming Cai; 131(11), 1370-7 (2005).
Soil nailing
Landslide Stabilization Using Soil Nail and Mechanically Stabilized Earth Walls: Case Study. — John P. Turner and Wayne G. Jensen; 131(2), 141-50 (2005).
Soil permeability
Permeability Determination from On-the-Fly Piezocone Sounding. — Derek Elsworth and Dae Sung Lee; 131(5), 643-53 (2005).
Soil pollution
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).
Soil pressure
Seismic Passive Earth Pressures in Soils. — K. S. Subba Rao and Deepankar Choudhury; 131(1), 131-5 (2005).
Soil properties
Impact of Soil Composition on Fall Cone Test Results. — Bojana Dolinar and Ludvik Trauner; 131(1), 126-30 (2005).
Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).
Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).
Soil resistance
Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).
Soil settlement
Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).
Secondary Compression. — G. Mesri and B. Vardhanabhuti; 131(3), 398-401 (2005).
Soil stabilization
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).
Discrete Numerical Model for Analysis of Earth Pressure Balance Tunnel Excavation. — Manuel J. Melis Maynar and Luis E. Medina Rodríguez; 131(10), 1234-42 (2005).
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).
Soil strength
Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).
Soil structure
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).
Soil suction
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).
Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (2005).
Nature of Soil–Water Characteristic Curve for Plastic Soils. — Fernando A. M. Marinho; 131(5), 654-61 (2005).
Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (2005).
Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).
Soil swelling
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).
Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).
Soil tests
Number of Equivalent Cycles Concept for Liquefaction Evaluations—Revisited. — Russell A. Green and Gregory A. Terri; 131(4), 477-88 (2005).
Comparison of Interface Shear Strength of Soil Nails Measured by Both Direct Shear Box Tests and Pullout Tests. — Lok-Man Chu and Jian-Hua Yin; 131(9), 1097-107 (2005).
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).
Soil treatment
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).
Soil water
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).
Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (2005).
Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (2005).
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (2005).
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).
Soil water storage
Nature of Soil–Water Characteristic Curve for Plastic Soils. — Fernando A. M. Marinho; 131(5), 654-61 (2005).
Soil–structure interaction
Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).
Numerical Modeling of Pipe–Soil Interaction under Oblique Loading. — Peijun Guo; 131(2), 260-8 (2005).
Soil-pile interaction
Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).
Soil-pipe interaction
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).
Soil-structure interaction
Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).
Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).
Soils
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).
Solid wastes
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).
Sorption
Effect of Surface Fluorination on Diffusion through a High Density Polyethylene Geomembrane. — Henri P. Sangam and R. Kerry Rowe; 131(6), 694-704 (2005).
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).
BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).

Specifications
Buckling versus Deflection of Buried Flexible Pipe. — W. David Carrier, III; 131(6), 804-7 (2005).

Spectral analysis
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).
Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).

Static loads
Discrete Element Method Evaluation of Granular Crushing Under Direct Shear Test Conditions. — Sebastian Lobo-Guerrero and Luis E. Vallejo; 131(10), 1295-300 (2005).

Static tests
Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).

Stiffness
Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).
Decementation, Softening, and Collapse: Changes in Small-Strain Shear Stiffness in k_0 Loading. — Tae Sup Yun and J. Carlos Santamarina; 131(3), 350-8 (2005).
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).
Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).
Transition of Railroad Bridge Approaches. — Dingqing Li and David Davis; 131(11), 1392-8 (2005).

Stiffness matrix
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).

Stones
Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

Stratification
Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).

Strength
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).

Stress
Experimental Investigation on Principal Stress Rotation in Kaolin Clay. — Han Lin and Dayakar Penumadu; 131(5), 633-42 (2005).

Stress distribution
Coefficient of Earth Pressure at Rest. — Radoslaw L. Michalowski; 131(11), 1429-33 (2005).

Stress history
Nature of Soil–Water Characteristic Curve for Plastic Soils. — Fernando A. M. Marinho; 131(5), 654-61 (2005).

Stress measurement
Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).

Stress waves
Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Sulfates
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).

Surface roughness
In Situ Assessment of Role of Surface Roughness on Interface Response. — J. David Frost and Jason T. DeJong; 131(4), 498-511 (2005).

Surface waves
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).
Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).

Swelling
Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Taiwan
Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

TCE
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Temperature
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).
BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Theories
Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).

Thermal analysis
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Thermal energy
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Thermal gradient
Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).

Three-dimensional analysis
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).

Three-dimensional models
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).

Time dependence
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Time studies
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Tires
Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).

Transport rate
The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Trenches
Leachate Recirculation Using Horizontal Trenches in Bioreactor Landfills. — Mazen M. Haydar and Milind V. Khire; 131(7), 837-47 (2005).

Triaxial tests
Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).
Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).
Development of an Equivalent Homogenous Fluid Model for Pseudo-Two-Phase (Air+Water) Flow through Fractured Rock. — J. Price and B. Indraratna; 131(7), 857-66 (2005).

Tropical soils
Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).

Tunnel linings
Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).
Tunneling
Effects of Advancing Open Face Tunneling on an Existing Loaded Pile. — Gordon T. K. Lee and Charles W. W. Ng; 131(2), 193-201 (2005).
Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).
Discrete Numerical Model for Analysis of Earth Pressure Balance Tunnel Excavation. — Manuel J. Melis Maynar and Luis E. Medina Rodríguez; 131(10), 1234-42 (2005).
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).
Two phase flow
Development of an Equivalent Homogenous Fluid Model for Pseudo-Two-Phase (Air+Water) Flow through Fractured Rock. — J. Price and B. Indraratna; 131(7), 857-66 (2005).
Uncertainty analysis
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).
Uncertainty principles
Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).
Undrained shear tests
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).
Unsaturated soils
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).
Nature of Soil–Water Characteristic Curve for Plastic Soils. — Fernando A. M. Marinho; 131(5), 654-61 (2005).
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).
Urban areas
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).
Velocity
Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).
Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).
Vertical cylinders
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).
Vertical drains
Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).
Vibration
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).
Viscoplasticity
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).
Volatile organic chemicals
Effect of Surface Fluorination on Diffusion through a High Density Polyethylene Geomembrane. — Henri P. Sangam and R. Kerry Rowe; 131(6), 694-704 (2005).
Volume change
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).
Walls
Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).
Waste disposal
Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).
Waste management
Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).
Water content
Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (2005).
Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).
Wave dispersion
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (2005).
Wave energy
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).
Wave propagation
Guided Waves in Embedded Concrete Piles. — Richard J. Finno and Hsiao-chou Chao; 131(1), 11-9 (2005).
Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (2005).
Wave reflection
Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).
Weather
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).
X-ray diffraction
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).
Young's modulus
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).

Author Index

Abdoun, Tarek
Closure to "Single Piles in Lateral Spreads: Field Bending Moment Evaluation" by Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 131(4), 532-4 (2005).

Ahmed, Zafar
Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Airey, David W.
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).

Al Khoury, Imad
Passive Earth Pressure of Overconsolidated Cohesionless Backfill. — Adel Hanna and Imad Al Khoury; 131(8), 978-86 (2005).

Alshawabkeh, Akram N.
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).

Amir, Joram M.
Discussion of "Low Strain Integrity Testing of Piles: Three-Dimensional Effects" by Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Young. — Joram M. Amir; 131(2), 269-70 (2005).

Andrus, Ronald D.
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).

Asawa, G. L.
Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).

Ashford, Scott A.
Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).

Ashour, Mohamed
Bridge Abutment Nonlinear Force-Displacement-Capacity Prediction for Seismic Design. — Anoosh Shamsabadi, Mohamed Ashour, and Gary Norris; 131(2), 151-61 (2005).

Atuahene, Frank
Discussion of "New Compression Index Equation" by J. H. Park and T. Koumoto. — Frank Atuahene; 131(9), 1181 (2005).

Aubertin, M.
Discussion of "Goodbye, Hazen; Hello, Kozeny-Carman," by W. David Carrier III. — M. Aubertin, R. P. Chapuis, and M. Mbonimpa; 131(8), 1056-7 (2005).

Aydilek, Ahmet H.
Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Barley, A. D.
Discussion of "Performance of Tension and Compression Anchors in Weathered Soil" by Nak-Kyung Kim. — A. D. Barley; 131(5), 671-2 (2005).

Barr, Douglas W.
Discussion of "Goodbye, Hazen; Hello, Kozeny-Carman," by W. David Carrier III. — Douglas W. Barr; 131(8), 1057-8 (2005).

Bartelt-Hunt, Shannon L.
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Baus, Ronald L.
Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).

Benson, C. H.
Effect of Acidic Mine Drainage on the Mechanical and Hydraulic Properties of Three Geosynthetics. — S. B. Gulec, C. H. Benson, and T. B. Edil; 131(8), 937-50 (2005).

Benson, Craig H.
Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Blackburn, J. Tanner
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).

Blaise, Bradford C.
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Boldini, Daniela
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).

Bora, Padma K.
Closure to "Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal" by Binu Sharma and Padma K. Bora. — Binu Sharma and Padma K. Bora; 131(3), 403 (2005).

Boulanger, Ross W.
Discussion of "Single Piles in Lateral Spreads: Field Bending Moment Evaluation" by Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S.H. Goh. — Scott J. Brandenberg, Ross W. Boulanger, and Bruce L. Kutter; 131(4), 529-31 (2005).
Closure to "High Overburden Stress Effects in Liquefaction Analyses," by Ross W. Boulanger. — Ross W. Boulanger; 131(8), 1060-2 (2005).
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (T) (2005).
Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Brandenberg, Scott J.
Discussion of "Single Piles in Lateral Spreads: Field Bending Moment Evaluation" by Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S.H. Goh. — Scott J. Brandenberg, Ross W. Boulanger, and Bruce L. Kutter; 131(4), 529-31 (2005).
Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Brandon, Thomas L.
Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).

Bray, Jonathan D.
Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).

Brennan, A. J.
Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).

Briaud, J.-L.
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Bricka, R. Mark
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).

Britton, Jeremy P.
The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Budi, S. S.
Closure to "Centrifuge Model Study of Laterally Loaded Pile Groups in Clay," by T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 131(10), 1308 (2005).

Bullock, Paul J.
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Bulusu, Sowmya
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Burke, Christopher
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).

Burns, Susan E.
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Cai, Weiming
Compound Deep Soil Mixing Columns for Retaining Structures in Excavations. — Yong Shao, Emir Jose Macari, and Weiming Cai; 131(11), 1370-7 (2005).

Cairo, Roberto
Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (T) (2005).

Calvello, Michele
Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).

Cardão Neto, Manoel P.
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).

Carrier, W. David, III
Buckling versus Deflection of Buried Flexible Pipe. — W. David Carrier, III; 131(6), 804-7 (T) (2005).
Pipeline Supported on a Nonuniform Winkler Soil Model. — W. David Carrier, III; 131(10), 1301-4 (T) (2005).

Carter, Ben L.
Influence of Soil Softening and Liquefaction on Spectral Acceleration. — T. Leslie Youd and Ben L. Carter; 131(7), 811-25 (2005).

Carter, John P.
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).

Casagrande, Michéle Dal Toé
Effect of Fiber Reinforcement on the Isotropic Compression Behavior of a Sand. — Nilo Cesar Consoli, Michéle Dal Toé Casagrande, and Matthew Richard Coop; 131(11), 1434-6 (T) (2005).

Cassidy, Mark J.
Numerical Modeling of Circular Footings Subjected to Monotonic Inclined Loading on Uncemented and Cemented Calcareous Sands. — Mark J. Cassidy, David W. Airey, and John P. Carter; 131(1), 52-63 (2005).

Ceratti, Jorge Augusto Pereira
Discussion of "Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips" by Khaled Sobhan and Mehedy Mashnad. — Nilo Cesar Consoli, Luciano Pivoto Specht, and Jorge Augusto Pereira Ceratti; 131(1), 136 (2005).

Chai, Jin-Chun
Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Chai, Y. H.
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (T) (2005).

Chandrasekaran, V. S.
Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).
Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).

Chang, Dongdong
Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Chao, Hsiao-chou
Guided Waves in Embedded Concrete Piles. — Richard J. Finno and Hsiao-chou Chao; 131(1), 11-9 (2005).

Chapuis, R. P.
Discussion of "Goodbye, Hazen; Hello, Kozeny-Carman," by W. David Carrier III. — M. Aubertin, R. P. Chapuis, and M. Mbonimpa; 131(8), 1056-7 (2005).

Chaudhuri, A.
Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (T) (2005).

Chen, H.-C.
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Chen, Qun
Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (T) (2005).

Cheung, Raymond W. M.
Reliability of Deteriorating Slopes. — Raymond W. M. Cheung and Wilson H. Tang; 131(5), 589-97 (2005).

Chew, Soon-Hoe
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).

Cho, Sung Eun
Discussion of "Stability Analyses of Rainfall-Induced Landslides" by Brian D. Collins and Dobroslav Znidarcic. — Sung Eun Cho; 131(11), 1437 (2005).

Choi, Hangseok
Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).

Chomtid, Suppakit
Closure to "Studies of Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave" by Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 131(11), 1440-2 (2005).

Choudhury, Deepankar
Seismic Passive Earth Pressures in Soils. — K. S. Subba Rao and Deepankar Choudhury; 131(1), 131-5 (T) (2005).

Chow, W. F.
Closure to "Low Strain Integrity Testing of Piles: Three-Dimensional Effects" by Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 131(2), 270 (2005).

Chow, Y. K.
Closure to "Low Strain Integrity Testing of Piles: Three-Dimensional Effects" by Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 131(2), 270 (2005).
Closure to "Centrifuge Model Study of Laterally Loaded Pile Groups in Clay," by T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 131(10), 1308 (2005).

Christian, John T.
Errata for "Geotechnical Engineering Reliability: How Well Do We Know What We Are Doing?" the 39th Terzaghi Lecture by John T. Christian. — John T. Christian; 131(11), 1443 (E) (2005).

Chu, Lok-Man
Comparison of Interface Shear Strength of Soil Nails Measured by Both Direct Shear Box Tests and Pullout Tests. — Lok-Man Chu and Jian-Hua Yin; 131(9), 1097-107 (2005).

Chua, C. G.
Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).

Claxton, Mary
Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

Clayton, Robert J.
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Clinard, Christian
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Collins, Brian D.
Closure to "Stability Analyses of Rainfall-Induced Landslides" by Brian D. Collins and Dobroslav Znidarcic. — Brian D. Collins and Dobroslav Znidarcic; 131(11), 1438 (2005).

Consoli, Nilo Cesar
Discussion of "Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips" by Khaled Sobhan and Mehedy Mashnad. — Nilo Cesar Consoli, Luciano Pivoto Specht, and Jorge Augusto Pereira Ceratti; 131(1), 136 (2005).
Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).
Effect of Fiber Reinforcement on the Isotropic Compression Behavior of a Sand. — Nilo Cesar Consoli, Michéle Dal Toé Casagrande, and Matthew Richard Coop; 131(11), 1434-6 (T) (2005).

Conte, Enrico
Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (T) (2005).

Coop, Matthew Richard
Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).
Effect of Fiber Reinforcement on the Isotropic Compression Behavior of a Sand. — Nilo Cesar Consoli, Michéle Dal Toé Casagrande, and Matthew Richard Coop; 131(11), 1434-6 (T) (2005).

Cording, Edward J.
Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).

Daniel, Chris R.
Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Davis, David
Transition of Railroad Bridge Approaches. — Dingqing Li and David Davis; 131(11), 1392-8 (2005).

DeJong, Jason T.
In Situ Assessment of Role of Surface Roughness on Interface Response. — J. David Frost and Jason T. DeJong; 131(4), 498-511 (2005).

Dente, Giovanni
Interaction Factors for the Analysis of Pile Groups in Layered Soils. — Roberto Cairo, Enrico Conte, and Giovanni Dente; 131(4), 525-8 (T) (2005).

de Oliveira, Luis Artur Kratz
Closure to "Unsaturated Constitutive Surfaces from Pressuremeter Tests" by Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 131(9), 1186-7 (2005).

de Paula Bernardes, George
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).

Desai, Chandra S.
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).

Didier, Gérard
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Di Nicola, Mario
Closure to "Piecewise-Linear Model for Large Strain Radial Consolidation," by Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 131(10), 1314-5 (2005).

Dobry, Ricardo
Closure to "Single Piles in Lateral Spreads: Field Bending Moment Evaluation" by Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 131(4), 532-4 (2005).

Dolinar, Bojana
Impact of Soil Composition on Fall Cone Test Results. — Bojana Dolinar and Ludvik Trauner; 131(1), 126-30 (T) (2005).

Doolin, David M.
Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).

Dowding, Charles H.
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).

Duncan, J. Michael
Discussion of "Centrifuge Model Study of Laterally Loaded Pile Groups in Clay" by T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi. — Robert L. Mokwa and J. Michael Duncan; 131(10), 1305-8 (2005).

Edil, T. B.
Effect of Acidic Mine Drainage on the Mechanical and Hydraulic Properties of Three Geosynthetics. — S. B. Gulec, C. H. Benson, and T. B. Edil; 131(8), 937-50 (2005).

Edil, Tuncer B.
Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).
Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Elgamal, Ahmed
Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

El-Garhy, B. M.
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).

El-Hoseiny, Khaled E.
Prediction of Field Behavior of Reinforced Soil Wall Using Advanced Constitutive Model. — Chandra S. Desai and Khaled E. El-Hoseiny; 131(6), 729-39 (2005).

El Sawwaf, M.
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).

El Sawwaf, Mostafa A.
Strip Footing Behavior on Pile and Sheet Pile-Stabilized Sand Slope. — Mostafa A. El Sawwaf; 131(6), 705-15 (2005).

Elsworth, Derek
Permeability Determination from On-the-Fly Piezocone Sounding. — Derek Elsworth and Dae Sung Lee; 131(5), 643-53 (2005).

Evans, Jeffrey C.
Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).
Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).
Errata for "Membrane Behavior of Model Soil-Bentonite Backfills" by Sang-Sik Yeo, Charles

D. Shackelford, and Jeffrey C. Evans. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(9), 1188 (E) (2005).
Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Failmezger, Roger A.
Discussion of "Compaction Grouting Test Program for Liquefaction Control" by Eugene A. Miller and Glen A. Roycroft. — Roger A. Failmezger; 131(11), 1439 (2005).

Fellenius, Bengt H.
Discussion of "Centrifuge Model Study of Laterally Loaded Pile Groups in Clay" by T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi. — Bengt H. Fellenius; 131(10), 1305 (2005).

Fenton, Gordon A.
Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).

Filz, George M.
The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Finno, Richard J.
Guided Waves in Embedded Concrete Piles. — Richard J. Finno and Hsiao-chou Chao; 131(1), 11-9 (2005).
Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).
Supported Excavations: Observational Method and Inverse Modeling. — Richard J. Finno and Michele Calvello; 131(7), 826-36 (2005).
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).

Fortier, Richard
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (T) (2005).

Fox, Patrick J.
Closure to "Piecewise-Linear Model for Large Strain Radial Consolidation," by Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 131(10), 1314-5 (2005).

Frank, Timothy E.
Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (T) (2005).

Fredlund, Delwyn G.
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).

Frenkel, Raymond
Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).

Frost, J. David
In Situ Assessment of Role of Surface Roughness on Interface Response. — J. David Frost and Jason T. DeJong; 131(4), 498-511 (2005).

Fukuoka, Hiroshi
Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).

Gaboriau, Hervé
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Gallipoli, Domenico
Discussion of "Unsaturated Constitutive Surfaces from Pressuremeter Tests" by Fernando Schnaid, Luiz Artur Kratz de Oliveira and Wai Ying Yuk Gehling. — Domenico Gallipoli; 131(9), 1181-3 (2005).

Gaucher, Eric
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Gehling, Wai Ying Yuk
Closure to "Unsaturated Constitutive Surfaces from Pressuremeter Tests" by Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 131(9), 1186-7 (2005).

Gent, David B.
Pilot-Scale Electrokinetic Cleanup of Lead-Contaminated Soils. — Akram N. Alshawabkeh, R. Mark Bricka, and David B. Gent; 131(3), 283-91 (2005).

Gerber, Travis M.
Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).

Germaine, John T.
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).

Gitirana, Gilson de F. N., Jr.
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).

Goh, Anthony T. C.
Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).

Goh, S. H.
Closure to "Single Piles in Lateral Spreads: Field Bending Moment Evaluation" by Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 131(4), 532-4 (2005).

Gopal Madabhushi, S. P.
Rotation of Cantilever Sheet Pile Walls. — S. P. Gopal Madabhushi and V. S. Chandrasekaran; 131(2), 202-12 (2005).

Green, Russell A.
Number of Equivalent Cycles Concept for Liquefaction Evaluations—Revisited. — Russell A. Green and Gregory A. Terri; 131(4), 477-88 (2005).

Griffin, Julie Ann
Closure to "Studies of Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave" by Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 131(11), 1440-2 (2005).

Griffiths, D. V.
Three-Dimensional Probabilistic Foundation Settlement. — Gordon A. Fenton and D. V. Griffiths; 131(2), 232-9 (2005).

Grismala, Ralph
Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).

Gruver, D.
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).

Gulec, S. B.
Effect of Acidic Mine Drainage on the Mechanical and Hydraulic Properties of Three Geosynthetics. — S. B. Gulec, C. H. Benson, and T. B. Edil; 131(8), 937-50 (2005).

Guo, P. J.
Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).

Guo, Peijun
Numerical Modeling of Pipe–Soil Interaction under Oblique Loading. — Peijun Guo; 131(2), 260-8 (2005).

Gupta, Ramesh C.
Discussion of "Unsaturated Constitutive Surfaces from Pressuremeter Tests" by Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling. — Ramesh C. Gupta; 131(9), 1183-5 (2005).

Guynn, Robin
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Guyonnet, Dominique
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Hanna, Adel
Closure to "Shaft Resistance of Single Vertical and Batter Piles Driven in Sand" by Adel Hanna and T. Q. Nguyen. — Adel Hanna and T. Q. Nguyen; 131(1), 139 (2005).
Passive Earth Pressure of Overconsolidated Cohesionless Backfill. — Adel Hanna and Imad Al Khoury; 131(8), 978-86 (2005).

Hanson, James L.
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Hardin, Bobby O.
Estimating the Shear Modulus of Gravelly Soils. — Bobby O. Hardin and Michael E. Kalinski; 131(7), 867-75 (2005).

Hart, Robert A.
Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

Haydar, Mazen M.
Leachate Recirculation Using Horizontal Trenches in Bioreactor Landfills. — Mazen M. Haydar and Milind V. Khire; 131(7), 837-47 (2005).

Heineck, Karla Salvagni
Effect of Microreinforcement of Soils from Very Small to Large Shear Strains. — Karla Salvagni Heineck, Matthew Richard Coop, and Nilo Cesar Consoli; 131(8), 1024-33 (2005).

Ho, Robert
Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Horhota, David
Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

Horpibulsuk, Suksun
Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).

Howie, John A.
Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Hoyos, Laureano R.
Closure to "Studies of Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave" by Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 131(11), 1440-2 (2005).

Hu, R. L.
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Huang, Ching-Chuan
Seismic Displacements of Soil Retaining Walls Situated on Slope. — Ching-Chuan Huang; 131(9), 1108-17 (2005).

Hussain, B.
Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).

Hutchinson, Tara C.
Simulation of Full-Scale Cyclic Lateral Load Tests on Piles. — Tara C. Hutchinson, Y. H. Chai, and Ross W. Boulanger; 131(9), 1172-5 (T) (2005).

Ilyas, T.
Closure to "Centrifuge Model Study of Laterally Loaded Pile Groups in Clay," by T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 131(10), 1308 (2005).

Indraratna, B.
Development of an Equivalent Homogenous Fluid Model for Pseudo-Two-Phase (Air+Water) Flow through Fractured Rock. — J. Price and B. Indraratna; 131(7), 857-66 (2005).

Intharasombat, Napat
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).

Jackson, R. Scott
Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Jensen, Wayne G.
Landslide Stabilization Using Soil Nail and Mechanically Stabilized Earth Walls: Case Study. — John P. Turner and Wayne G. Jensen; 131(2), 141-50 (2005).

Jeremić, Boris
Study of Soil Layering Effects on Lateral Loading Behavior of Piles. — Zhaohui Yang and Boris Jeremić; 131(6), 762-70 (2005).

Jessberger, H. L.
Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).

Jiang, C. X.
Discussion of "Equal Strain Consolidation by Vertical Drains," by Chin Jian Leo. — G. H. Lei and C. X. Jiang; 131(10), 1315-7 (2005).

Jo, Ho Young
Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).

Jo, Ho-Young
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).

Juang, C. Hsein
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).
Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).

Kalinski, Michael E.
Estimating the Shear Modulus of Gravelly Soils. — Bobby O. Hardin and Michael E. Kalinski; 131(7), 867-75 (2005).

Khire, Milind V.
Leachate Recirculation Using Horizontal Trenches in Bioreactor Landfills. — Mazen M. Haydar and Milind V. Khire; 131(7), 837-47 (2005).

Kim, Bumjoo
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Kim, Kyungsik
Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).

Klar, Assaf
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Koga, Hirofumi
Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Konrad, Jean-Marie
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (T) (2005).

Koumoto, T.
Closure to "New Compression Index Equation" by J. H. Park and T. Koumoto. — J. H. Park and T. Koumoto; 131(9), 1181 (2005).

Koutsoftas, D. C.
Discussion of "Piecewise-Linear Model for Large Strain Radial Consolidation," by Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley. — D. C. Koutsoftas; 131(10), 1308-14 (2005).

Krapac, Ivan G.
Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (T) (2005).

Kulhawy, Fred H.
Bayesian Neural Network Analysis of Undrained Side Resistance of Drilled Shafts. — Anthony T. C. Goh, Fred H. Kulhawy, and C. G. Chua; 131(1), 84-93 (2005).

Kutter, Bruce L.
Discussion of "Single Piles in Lateral Spreads: Field Bending Moment Evaluation" by Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S.H. Goh. — Scott J. Brandenberg, Ross W. Boulanger, and Bruce L. Kutter; 131(4), 529-31 (2005).
Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).
Behavior of Pile Foundations in Laterally Spreading Ground during Centrifuge Tests. — Scott J. Brandenberg, Ross W. Boulanger, Bruce L. Kutter, and Dongdong Chang; 131(11), 1378-91 (2005).

Lackner, Roman
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).

Ladd, Charles C.
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).

Laguros, Joakim G.
Discussion of "Studies of Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave" by Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid. — James B. Nevels, Jr., and Joakim G. Laguros; 131(11), 1439 (2005).

Lai, Tao
Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Lane, J. Dusty
Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).

Law, K. T.
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (T) (2005).

Lee, C. F.
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (T) (2005).

Lee, Dae Sung
Permeability Determination from On-the-Fly Piezocone Sounding. — Derek Elsworth and Dae Sung Lee; 131(5), 643-53 (2005).

Lee, Fook-Hou
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).

Lee, Gordon T. K.
Effects of Advancing Open Face Tunneling on an Existing Loaded Pile. — Gordon T. K. Lee and Charles W. W. Ng; 131(2), 193-201 (2005).

Lee, Jae-Myung
Impact of Bentonite Quality on Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee and Charles D. Shackelford; 131(1), 64-77 (2005).
Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).
Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).

Lee, Jong-Sub
Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).

Lee, Junhwan
Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test. — Junhwan Lee and Rodrigo Salgado; 131(4), 442-52 (2005).

Lee, Yeong
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).

Lei, G. H.
Discussion of "Equal Strain Consolidation by Vertical Drains," by Chin Jian Leo. — G. H. Lei and C. X. Jiang; 131(10), 1315-7 (2005).

Leo, Chin Jian
Closure to "Equal Strain Consolidation by Vertical Drains," by Chin Jian Leo. — Chin Jian Leo; 131(10), 1317 (2005).

Leshchinsky, Dov
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).

Leung, C. F.
Closure to "Centrifuge Model Study of Laterally Loaded Pile Groups in Clay," by T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi. — T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi; 131(10), 1308 (2005).

Li, A. G.
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (T) (2005).

Li, D. Q.
Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Li, Dingqing
Transition of Railroad Bridge Approaches. — Dingqing Li and David Davis; 131(11), 1392-8 (2005).

Li, Tong
Nonlinear Parameters for Granular Base Materials from Plate Tests. — Tong Li and Ronald L. Baus; 131(7), 907-13 (2005).

Li, Y.
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Likos, William J.
Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Lin, Han
Experimental Investigation on Principal Stress Rotation in Kaolin Clay. — Han Lin and Dayakar Penumadu; 131(5), 633-42 (2005).

Ling, Hoe I.
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).

Little, John C.
The Effect of Variability in Hydraulic Conductivity on Contaminant Transport through Soil–Bentonite Cutoff Walls. — Jeremy P. Britton, George M. Filz, and John C. Little; 131(8), 951-7 (2005).

Liu, G. B.
Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Liu, Huabei
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).

Liu, Wei-Lien
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Lobo-Guerrero, Sebastian
Discrete Element Method Evaluation of Granular Crushing Under Direct Shear Test Conditions. — Sebastian Lobo-Guerrero and Luis E. Vallejo; 131(10), 1295-300 (T) (2005).

Lone, M. A.
Filter Design Criteria for Graded Cohesionless Bases. — M. A. Lone, B. Hussain, and G. L. Asawa; 131(2), 251-9 (2005).

Lu, Ning
Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Lyamin, A. V.
Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).

Macari, Emir Jose
Compound Deep Soil Mixing Columns for Retaining Structures in Excavations. — Yong Shao, Emir Jose Macari, and Weiming Cai; 131(11), 1370-7 (2005).

MacLaughlin, Mary M.
Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).

Madabhushi, S. P. G.
Liquefaction and Drainage in Stratified Soil. — A. J. Brennan and S. P. G. Madabhushi; 131(7), 876-85 (2005).

Mair, R. J.
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Mang, Herbert A.
Ground-Shotcrete Interaction of NATM Tunnels with High Overburden. — Daniela Boldini, Roman Lackner, and Herbert A. Mang; 131(7), 886-97 (2005).

Marinho, Fernando A. M.
Nature of Soil–Water Characteristic Curve for Plastic Soils. — Fernando A. M. Marinho; 131(5), 654-61 (2005).

Marui, Hideaki
Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).
A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).

Masada, T.
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).

Mashnad, Mehedy
Closure to "Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips" by Khaled Sobhan and Mehedy Mashnad. — Khaled Sobhan and Mehedy Mashnad; 131(1), 137 (2005).

Matesic, Leo
Closure to "Strain-Rate Effects on Soil Secant Shear Modulus at Small Cyclic Strains" by Leo Matesic and Mladen Vucetic. — Leo Matesic and Mladen Vucetic; 131(2), 271-2 (2005).

Matsushima, Kenichi
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).

Maynar, Manuel J. Melis
Discrete Numerical Model for Analysis of Earth Pressure Balance Tunnel Excavation. — Manuel J. Melis Maynar and Luis E. Medina Rodríguez; 131(10), 1234-42 (2005).

Mbonimpa, M.
Discussion of "Goodbye, Hazen; Hello, Kozeny-Carman," by W. David Carrier III. — M. Aubertin, R. P. Chapuis, and M. Mbonimpa; 131(8), 1056-7 (2005).

McCartney, John S.
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).

McCombie, Paul F.
Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

McCone, Sean
Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).

McIsaac, Reagan
Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).

McKenna, Laureen M.
Crack Response to Long-Term Environmental and Blast Vibration Effects. — Charles H. Dowding and Laureen M. McKenna; 131(9), 1151-61 (2005).

McVay, Michael
Polk County Expressway: A Laboratory, Numerical, and Field Study of Consolidation. — Zafar Ahmed, Michael McVay, David Horhota, and Robert Ho; 131(9), 1118-29 (2005).

McVay, Michael C.
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Merifield, R. S.
Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).

Mesri, G.
Secondary Compression. — G. Mesri and B. Vardhanabhuti; 131(3), 398-401 (T) (2005).

Michalowski, Radoslaw L.
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).
Coefficient of Earth Pressure at Rest. — Radoslaw L. Michalowski; 131(11), 1429-33 (T) (2005).

Mikesell, Rodney C.
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Mitchell, James K.
Biological Considerations in Geotechnical Engineering. — James K. Mitchell and J. Carlos Santamarina; 131(10), 1222-33 (2005).

Miura, Norihiko
Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).
Lateral Displacement of Ground Caused by Soil–Cement Column Installation. — Jin-Chun Chai, Norihiko Miura, and Hirofumi Koga; 131(5), 623-32 (2005).

Mohri, Yoshiyuki
Large-Scale Shaking Table Tests on Modular-Block Reinforced Soil Retaining Walls. — Hoe I. Ling, Yoshiyuki Mohri, Dov Leshchinsky, Christopher Burke, Kenichi Matsushima, and Huabei Liu; 131(4), 465-76 (2005).

Mokwa, Robert L.
Discussion of "Centrifuge Model Study of Laterally Loaded Pile Groups in Clay" by T. Ilyas, C. F. Leung, Y. K. Chow, and S. S. Budi. — Robert L. Mokwa and J. Michael Duncan; 131(10), 1305-8 (2005).

Morvant, Mark
Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).

Mukunoki, Toshifumi
BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).

Murthy, D. S. N.
Reliability Analysis of Unsaturated Soil Slopes. — G. L. Sivakumar Babu and D. S. N. Murthy; 131(11), 1423-8 (T) (2005).

Nagaraj, T. S.
Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. — Suksun Horpibulsuk, Norihiko Miura, and T. S. Nagaraj; 131(2), 187-92 (2005).

Nazer, A.
Behavior of Circular Footings Resting on Confined Granular Soil. — M. El Sawwaf and A. Nazer; 131(3), 359-66 (2005).

Nevels, James B., Jr.
Discussion of "Studies of Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave" by Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid. — James B. Nevels, Jr., and Joakim G. Laguros; 131(11), 1439 (2005).

Ng, Charles W. W.
Effects of Advancing Open Face Tunneling on an Existing Loaded Pile. — Gordon T. K. Lee and Charles W. W. Ng; 131(2), 193-201 (2005).
Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Nguyen, T. Q.
Closure to "Shaft Resistance of Single Vertical and Batter Piles Driven in Sand" by Adel Hanna and T. Q. Nguyen. — Adel Hanna and T. Q. Nguyen; 131(1), 139 (2005).

Noe, David C.
Geologic Controls of Subdivision Damage near Denver, Colorado. — David C. Noe; 131(9), 1080-96 (2005).

Norotte, Véronique
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Norris, Gary
Bridge Abutment Nonlinear Force-Displacement-Capacity Prediction for Seismic Design. — Anoosh Shamsabadi, Mohamed Ashour, and Gary Norris; 131(2), 151-61 (2005).

Nurtjahyo, P.
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Nwaiwu, Charles M. O.
Discussion of "Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains" by Leo Matesic and Mladen Vucetic. — Charles M. O. Nwaiwu and Kolawole J. Osinubi; 131(2), 270-1 (2005).
Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).

Odebrecht, Edgar
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).

Oguz, Seyfullah H.
Constriction Size of Geotextile Filters. — Ahmet H. Aydilek, Seyfullah H. Oguz, and Tuncer B. Edil; 131(1), 28-38 (2005).

Opdyke, Shana M.
Slag-Cement-Bentonite Slurry Walls. — Shana M. Opdyke and Jeffrey C. Evans; 131(6), 673-81 (2005).

O'Rourke, Thomas D.
Closure to "Single Piles in Lateral Spreads: Field Bending Moment Evaluation" by Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 131(4), 532-4 (2005).

Osinubi, Kolawole 'J.
Hydraulic Conductivity of Compacted Lateritic Soil. — Kolawole 'J. Osinubi and Charles M. O. Nwaiwu; 131(8), 1034-41 (2005).

Osinubi, Kolawole J.
Discussion of "Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains" by Leo Matesic and Mladen Vucetic. — Charles M. O. Nwaiwu and Kolawole J. Osinubi; 131(2), 270-1 (2005).

Park, J. H.
Closure to "New Compression Index Equation" by J. H. Park and T. Koumoto. — J. H. Park and T. Koumoto; 131(9), 1181 (2005).

Penumadu, Dayakar
Experimental Investigation on Principal Stress Rotation in Kaolin Clay. — Han Lin and Dayakar Penumadu; 131(5), 633-42 (2005).

Pereira, José H. F.
Hydraulic Behavior of Collapsible Compacted Gneiss Soil. — José H. F. Pereira, Delwyn G. Fredlund, Manoel P. Cardão Neto, and Gilson de F. N. Gitirana, Jr.; 131(10), 1264-73 (2005).

Petzrick, Paul
Remediation of Abandoned Mines Using Coal Combustion By-Products. — Sowmya Bulusu, Ahmet H. Aydilek, Paul Petzrick, and Robin Guynn; 131(8), 958-69 (2005).

Phanikumar, Bhyravajjula R.
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).

Phoon, K. K.
Closure to "Low Strain Integrity Testing of Piles: Three-Dimensional Effects" by Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 131(2), 270 (2005).

Pons, Charles-Henri
Geosynthetic Clay Liner Interaction with Leachate: Correlation between Permeability, Microstructure, and Surface Chemistry. — Dominique Guyonnet, Eric Gaucher, Hervé Gaboriau, Charles-Henri Pons, Christian Clinard, Véronique Norotte, and Gérard Didier; 131(6), 740-9 (2005).

Poulos, Harry G.
Pile Behavior—Consequences of Geological and Construction Imperfections. — Harry G. Poulos; 131(5), 538-63 (2005).

Pradel, Daniel
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Prakash, K.
Discussion of "Plastic Limit, Liquid Limit, and Undrained Shear Strength of Soil—Reappraisal" by Binu Sharma and Padma K. Bora. — K. Prakash; 131(3), 402 (2005).

Prakasha, K. S.
Behavior of Marine Sand-Clay Mixtures under Static and Cyclic Triaxial Shear. — K. S. Prakasha and V. S. Chandrasekaran; 131(2), 213-22 (2005).

Prezzi, Monica
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Price, J.
Development of an Equivalent Homogenous Fluid Model for Pseudo-Two-Phase (Air+Water) Flow through Fractured Rock. — J. Price and B. Indraratna; 131(7), 857-66 (2005).

Puppala, Anand J.
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).
Closure to "Studies of Sulfate-Resistant Cement Stabilization Methods to Address Sulfate-Induced Soil Heave" by Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid. — Anand J. Puppala, Julie Ann Griffin, Laureano R. Hoyos, and Suppakit Chomtid; 131(11), 1440-2 (2005).

Quigley, Donald W.
Closure to "Piecewise-Linear Model for Large Strain Radial Consolidation," by Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 131(10), 1314-5 (2005).

Raad, Glen
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Rabideau, Alan J.
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Rama Sarma, K.
Empirical Relationship between Rock Structure Rating and Modulus of Deformation. — K. Rama Sarma and R. W. Sarsby; 131(3), 390-7 (T) (2005).

Rao, K. Seshagiri
Bearing Capacity of Shallow Foundations in Anisotropic Non-Hoek–Brown Rock Masses. — Mahendra Singh and K. Seshagiri Rao; 131(8), 1014-23 (2005).

Rippe, Arlan H.
Introduction of Harry Poulos, Fortieth Karl Terzaghi Lecturer, 2004, Baltimore, Md. — Arlan H. Rippe; 131(5), 536-7 (2005).

Rix, Glenn J.
Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).

Roboski, Jill F.
Three-Dimensional Responses of a Tied-Back Excavation through Clay. — Richard J. Finno and Jill F. Roboski; 131(3), 273-82 (2005).

Rocha, Marcelo Maia
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).

Rodríguez, Luis E. Medina
Discrete Numerical Model for Analysis of Earth Pressure Balance Tunnel Excavation. — Manuel J. Melis Maynar and Luis E. Medina Rodríguez; 131(10), 1234-42 (2005).

Rollings, Marian P.
Geology: Engineer Ignore It at Your Peril. — Marian P. Rollings and Raymond S. Rollings; 131(6), 783-91 (2005).

Rollings, Raymond S.
Geology: Engineer Ignore It at Your Peril. — Marian P. Rollings and Raymond S. Rollings; 131(6), 783-91 (2005).

Rollins, Kyle M.
Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).
Measured and Computed Lateral Response of a Pile Group in Sand. — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 131(1), 103-14 (2005).
Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand. — Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford; 131(1), 115-25 (2005).
Drilled Shaft Side Friction in Gravelly Soils. — Kyle M. Rollins, Robert J. Clayton, Rodney C. Mikesell, and Bradford C. Blaise; 131(8), 987-1003 (2005).

Rossow, Edwin
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).

Rowe, R. Kerry
Clogging of Tire Shreds and Gravel Permeated with Landfill Leachate. — R. Kerry Rowe and Reagan McIsaac; 131(6), 682-93 (2005).
Effect of Surface Fluorination on Diffusion through a High Density Polyethylene Geomembrane. — Henri P. Sangam and R. Kerry Rowe; 131(6), 694-704 (2005).
Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).
BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).

Saitoh, Masato
Fixed-Head Pile Bending by Kinematic Interaction and Criteria for Its Minimization at Optimal Pile Radius. — Masato Saitoh; 131(10), 1243-51 (2005).

Salgado, Rodrigo
Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test. — Junhwan Lee and Rodrigo Salgado; 131(4), 442-52 (2005).
Geotechnical Properties of Fly and Bottom Ash Mixtures for Use in Highway Embankments. — Bumjoo Kim, Monica Prezzi, and Rodrigo Salgado; 131(7), 914-24 (2005).

Sangam, Henri P.
Effect of Surface Fluorination on Diffusion through a High Density Polyethylene Geomembrane. — Henri P. Sangam and R. Kerry Rowe; 131(6), 694-704 (2005).
BTEX Diffusion and Sorption for a Geosynthetic Clay Liner at Two Temperatures. — R. Kerry Rowe, Toshifumi Mukunoki, and Henri P. Sangam; 131(10), 1211-21 (2005).

Santagata, Marika
Factors Affecting the Initial Stiffness of Cohesive Soils. — Marika Santagata, John T. Germaine, and Charles C. Ladd; 131(4), 430-41 (2005).

Santamarina, J. Carlos
Decementation, Softening, and Collapse: Changes in Small-Strain Shear Stiffness in k_0 Loading. — Tae Sup Yun and J. Carlos Santamarina; 131(3), 350-8 (2005).
Bender Elements: Performance and Signal Interpretation. — Jong-Sub Lee and J. Carlos Santamarina; 131(9), 1063-70 (2005).
Biological Considerations in Geotechnical Engineering. — James K. Mitchell and J. Carlos Santamarina; 131(10), 1222-33 (2005).

Sargand, S. M.
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).

Sarsby, R. W.
Empirical Relationship between Rock Structure Rating and Modulus of Deformation. — K. Rama Sarma and R. W. Sarsby; 131(3), 390-7 (T) (2005).

Sassa, Kyoji
Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).

Schmertmann, John H.
Stress Diffusion Experiment in Sand. — John H. Schmertmann; 131(1), 1-10 (2005).
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Schnaid, Fernando
Closure to "Unsaturated Constitutive Surfaces from Pressuremeter Tests" by Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling. — Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling; 131(9), 1186-7 (2005).
Energy Efficiency for Standard Penetration Tests. — Edgar Odebrecht, Fernando Schnaid, Marcelo Maia Rocha, and George de Paula Bernardes; 131(10), 1252-63 (2005).

Seed, Raymond B.
Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).
Introduction of T. L. Youd. — Raymond B. Seed; 131(7), 810 (2005).

Sekhar, M.
Probabilistic Analysis of Pollutant Migration from a Landfill Using Stochastic Finite Element Method. — A. Chaudhuri and M. Sekhar; 131(8), 1042-9 (T) (2005).

Selig, Ernest T.
Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).

Shackelford, Charles D.
Impact of Bentonite Quality on Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee and Charles D. Shackelford; 131(1), 64-77 (2005).
Long-Term Hydraulic Conductivity of a Geosynthetic Clay Liner Permeated with Inorganic Salt Solutions. — Ho Young Jo, Craig H. Benson, Charles D. Shackelford, Jae-Myung Lee, and Tuncer B. Edil; 131(4), 405-17 (2005).
Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).
Errata for "Membrane Behavior of Model Soil-Bentonite Backfills" by Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(9), 1188 (E) (2005).
Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).
Correlating Index Properties and Hydraulic Conductivity of Geosynthetic Clay Liners. — Jae-Myung Lee, Charles D. Shackelford, Craig H. Benson, Ho-Young Jo, and Tuncer B. Edil; 131(11), 1319-29 (2005).
Analyzing Diffusion by Analogy with Consolidation. — Charles D. Shackelford and Jae-Myung Lee; 131(11), 1345-59 (2005).

Shamsabadi, Anoosh
Bridge Abutment Nonlinear Force-Displacement-Capacity Prediction for Seismic Design. — Anoosh Shamsabadi, Mohamed Ashour, and Gary Norris; 131(2), 151-61 (2005).

Shao, Yong
Compound Deep Soil Mixing Columns for Retaining Structures in Excavations. — Yong Shao, Emir Jose Macari, and Weiming Cai; 131(11), 1370-7 (2005).

Sharkey, Kevin J.
Laboratory Characterization of Steeply Dipping Expansive Bedrock in the Rocky Mountain Front Range. — William J. Likos, Ning Lu, and Kevin J. Sharkey; 131(9), 1162-71 (2005).

Sharma, Binu
Closure to "Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal" by Binu Sharma and Padma K. Bora. — Binu Sharma and Padma K. Bora; 131(3), 403 (2005).

Sharma, Radhey S.
Laboratory Study of Heave Behavior of Expansive Clay Reinforced with Geopiles. — Radhey S. Sharma and Bhyravajjula R. Phanikumar; 131(4), 512-20 (2005).

Silva, Francisco
Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).

Singh, Devendra N.
Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (T) (2005).

Singh, Mahendra
Bearing Capacity of Shallow Foundations in Anisotropic Non-Hoek–Brown Rock Masses. — Mahendra Singh and K. Seshagiri Rao; 131(8), 1014-23 (2005).

Singh, Sushil K.
Estimating Consolidation Coefficient and Final Settlement: Triangular Excess Pore-Water Pressure. — Sushil K. Singh; 131(8), 1050-5 (T) (2005).

Sitar, Nicholas
Influence of Kinematics on Landslide Mobility and Failure Mode. — Nicholas Sitar, Mary M. MacLaughlin, and David M. Doolin; 131(6), 716-28 (2005).

Sivakumar Babu, G. L.
Reliability Analysis of Unsaturated Soil Slopes. — G. L. Sivakumar Babu and D. S. N. Murthy; 131(11), 1423-8 (T) (2005).

Sloan, S. W.
Stability of Inclined Strip Anchors in Purely Cohesive Soil. — R. S. Merifield, A. V. Lyamin, and S. W. Sloan; 131(6), 792-9 (2005).

Smith, James A.
Evaluation of Granular Activated Carbon, Shale, and Two Organoclays for Use as Sorptive Amendments in Clay Landfill Liners. — Shannon L. Bartelt-Hunt, James A. Smith, Susan E. Burns, and Alan J. Rabideau; 131(7), 848-56 (2005).

Smith, Patrick M.
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Sobhan, Khaled
Closure to "Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips" by Khaled Sobhan and Mehedy Mashnad. — Khaled Sobhan and Mehedy Mashnad; 131(1), 137 (2005).

Soga, Kenichi
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Son, Moorak
Estimation of Building Damage Due to Excavation-Induced Ground Movements. — Moorak Son and Edward J. Cording; 131(2), 162-77 (2005).

Southen, Jonathon M.
Laboratory Investigation of Geosynthetic Clay Liner Desiccation in a Composite Liner Subjected to Thermal Gradients. — Jonathon M. Southen and R. Kerry Rowe; 131(7), 925-35 (2005).

Specht, Luciano Pivoto
Discussion of "Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips" by Khaled Sobhan and Mehedy Mashnad. — Nilo Cesar Consoli, Luciano Pivoto Specht, and Jorge Augusto Pereira Ceratti; 131(1), 136 (2005).

Sreedeep, S.
Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (T) (2005).

Stamatopoulos, Constantine A.
Discussion of "High Overburden Stress Effects in Liquefaction Analyses," by Ross W. Boulanger. — Constantine A. Stamatopoulos; 131(8), 1058-9 (2005).

Stark, Timothy D.
Drained Shear Strength Parameters for Analysis of Landslides. — Timothy D. Stark, Hangseok Choi, and Sean McCone; 131(5), 575-88 (2005).
Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (T) (2005).

Stewart, Jonathan P.
Case History of Landslide Movement during the Northridge Earthquake. — Daniel Pradel, Patrick M. Smith, Jonathan P. Stewart, and Glen Raad; 131(11), 1360-9 (2005).

Stolle, D. F. E.
Lateral Pipe–Soil Interaction in Sand with Reference to Scale Effect. — P. J. Guo and D. F. E. Stolle; 131(3), 338-49 (2005).

Storme, Maud
Forward Modeling of Steady-State Surface Wave Test. — Maud Storme, Richard Fortier, and Jean-Marie Konrad; 131(5), 662-5 (T) (2005).

Strack, Geoffrey D.
Long-Term Behavior of Water Content and Density in an Earthen Liner. — Timothy E. Frank, Ivan G. Krapac, Timothy D. Stark, and Geoffrey D. Strack; 131(6), 800-3 (T) (2005).

Subba Rao, K. S.
Seismic Passive Earth Pressures in Soils. — K. S. Subba Rao and Deepankar Choudhury; 131(1), 131-5 (T) (2005).

Suiker, Akke S. J.
Static and Cyclic Triaxial Testing of Ballast and Subballast. — Akke S. J. Suiker, Ernest T. Selig, and Raymond Frenkel; 131(6), 771-82 (2005).

Swan, Robert H., Jr.
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).

Tang, W. H.
Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Tang, Wilson H.
Reliability of Deteriorating Slopes. — Raymond W. M. Cheung and Wilson H. Tang; 131(5), 589-97 (2005).

Tao, Mingjiang
Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).

Tarawneh, B.
Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill. — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 131(1), 39-51 (2005).

Terri, Gregory A.
Number of Equivalent Cycles Concept for Liquefaction Evaluations—Revisited. — Russell A. Green and Gregory A. Terri; 131(4), 477-88 (2005).

Thakur, Vikas K. S.
Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils. — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 131(4), 521-4 (T) (2005).

Tham, L. G.
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (T) (2005).
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Tiwari, Binod
Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).
A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition. — Binod Tiwari and Hideaki Marui; 131(9), 1139-50 (2005).

Townsend, Frank C.
Side Shear Setup. I: Test Piles Driven in Florida. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 292-300 (2005).
Side Shear Setup. II: Results From Florida Test Piles. — Paul J. Bullock, John H. Schmertmann, Michael C. McVay, and Frank C. Townsend; 131(3), 301-10 (2005).

Trauner, Ludvik
Impact of Soil Composition on Fall Cone Test Results. — Bojana Dolinar and Ludvik Trauner; 131(1), 126-30 (T) (2005).

Tuladhar, Gyanu Ratna
Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and Remolded Specimens. — Binod Tiwari, Thomas L. Brandon, Hideaki Marui, and Gyanu Ratna Tuladhar; 131(9), 1071-9 (2005).

Turner, John P.
Landslide Stabilization Using Soil Nail and Mechanically Stabilized Earth Walls: Case Study. — John P. Turner and Wayne G. Jensen; 131(2), 141-50 (2005).

Vallejo, Luis E.
Discrete Element Method Evaluation of Granular Crushing Under Direct Shear Test Conditions. — Sebastian Lobo-Guerrero and Luis E. Vallejo; 131(10), 1295-300 (T) (2005).

Vankov, Dmitri A.
Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).

Vardhanabhuti, B.
Secondary Compression. — G. Mesri and B. Vardhanabhuti; 131(3), 398-401 (T) (2005).

Vempati, Rajan K.
Experimental Studies on Ettringite-Induced Heaving in Soils. — Anand J. Puppala, Napat Intharasombat, and Rajan K. Vempati; 131(3), 325-37 (2005).

Viswanadham, B. V. S.
Centrifuge Modeling of Geosynthetic Reinforced Clay Liners of Landfills. — B. V. S. Viswanadham and H. L. Jessberger; 131(5), 564-74 (2005).

Vorster, T. E. B.
Estimating the Effects of Tunneling on Existing Pipelines. — T. E. B. Vorster, Assaf Klar, Kenichi Soga, and R. J. Mair; 131(11), 1399-410 (2005).

Voss, Frank T., Jr.
Evaluating Damage Potential in Buildings Affected by Excavations. — Richard J. Finno, Frank T. Voss, Jr., Edwin Rossow, and J. Tanner Blackburn; 131(10), 1199-210 (2005).

Vucetic, Mladen
Closure to "Strain-Rate Effects on Soil Secant Shear Modulus at Small Cyclic Strains" by Leo Matesic and Mladen Vucetic. — Leo Matesic and Mladen Vucetic; 131(2), 271-2 (2005).

Walker, Brian
Review of Standard Penetration Test Short Rod Corrections. — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 131(4), 489-97 (2005).

Walker, Peter J.
Rigid Block Distinct-Element Modeling of Dry-Stone Retaining Walls in Plane Strain. — Mary Claxton, Robert A. Hart, Paul F. McCombie, and Peter J. Walker; 131(3), 381-9 (2005).

Wang, Gonghui
Shear-Displacement-Amplitude Dependent Pore-Pressure Generation in Undrained Cyclic Loading Ring Shear Tests: An Energy Approach. — Kyoji Sassa, Gonghui Wang, Hiroshi Fukuoka, and Dmitri A. Vankov; 131(6), 750-61 (2005).

Wang, J.
SRICOS-EFA Method for Contraction Scour in Fine-Grained Soils. — J.-L. Briaud, H.-C. Chen, Y. Li, P. Nurtjahyo, and J. Wang; 131(10), 1283-94 (2005).

Wang, L. C.
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Wang, Z. W.
Observed Performance of a Deep Multistrutted Excavation in Shanghai Soft Clays. — G. B. Liu, Charles W. W. Ng, and Z. W. Wang; 131(8), 1004-13 (2005).

Wartman, Joseph
Shaking Table Modeling of Seismically Induced Deformations in Slopes. — Joseph Wartman, Raymond B. Seed, and Jonathan D. Bray; 131(5), 610-22 (2005).

Weaver, Thomas J.
Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading. — Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins; 131(1), 94-102 (2005).

Wilson, Daniel W.
Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).

Wong, K. Y.
Closure to "Low Strain Integrity Testing of Piles: Three-Dimensional Effects" by Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 131(2), 270 (2005).

Wray, W. K.
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).

Yang, Jun
Discussion of "Shaft Resistance of Single Vertical and Batter Piles Driven in Sand" by A. Hanna and T. Q. Nguyen. — Jun Yang; 131(1), 137-8 (2005).

Yang, Susan Hui
Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).

Yang, Zhaohui
Dynamic Response of Saturated Dense Sand in Laminated Centrifuge Container. — Ahmed Elgamal, Zhaohui Yang, Tao Lai, Bruce L. Kutter, and Daniel W. Wilson; 131(5), 598-609 (2005).
Study of Soil Layering Effects on Lateral Loading Behavior of Piles. — Zhaohui Yang and Boris Jeremić; 131(6), 762-70 (2005).

Yeo, Sang-Sik
Membrane Behavior of Model Soil–Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(4), 418-29 (2005).
Errata for "Membrane Behavior of Model Soil-Bentonite Backfills" by Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(9), 1188 (E) (2005).
Consolidation and Hydraulic Conductivity of Nine Model Soil-Bentonite Backfills. — Sang-Sik Yeo, Charles D. Shackelford, and Jeffrey C. Evans; 131(10), 1189-98 (2005).

Yeşiller, Nazli
Heat Generation in Municipal Solid Waste Landfills. — Nazli Yeşiller, James L. Hanson, and Wei-Lien Liu; 131(11), 1330-44 (2005).

Yin, Jian-Hua
Comparison of Interface Shear Strength of Soil Nails Measured by Both Direct Shear Box Tests and Pullout Tests. — Lok-Man Chu and Jian-Hua Yin; 131(9), 1097-107 (2005).

Yong, Kwet-Yew
Strength and Modulus of Marine Clay-Cement Mixes. — Fook-Hou Lee, Yeong Lee, Soon-Hoe Chew, and Kwet-Yew Yong; 131(2), 178-86 (2005).

Yoo, Chai H.
Design Loading on Deeply Buried Box Culverts. — Kyungsik Kim and Chai H. Yoo; 131(1), 20-7 (2005).

Yoo, Chungsik
Interaction between Tunneling and Groundwater—Numerical Investigation Using Three Dimensional Stress–Pore Pressure Coupled Analysis. — Chungsik Yoo; 131(2), 240-50 (2005).

Youd, T. Leslie
Influence of Soil Softening and Liquefaction on Spectral Acceleration. — T. Leslie Youd and Ben L. Carter; 131(7), 811-25 (2005).

Youssef, A. A.
Three-Dimensional Model for Moisture and Volume Changes Prediction in Expansive Soils. — W. K. Wray, B. M. El-Garhy, and A. A. Youssef; 131(3), 311-24 (2005).

Yuan, Haiming
Model Uncertainty of Shear Wave Velocity-Based Method for Liquefaction Potential Evaluation. — C. Hsein Juang, Susan Hui Yang, and Haiming Yuan; 131(10), 1274-82 (2005).

Yue, Z. Q.
Comparison of Field and Laboratory Soil–Water Characteristic Curves. — A. G. Li, L. G. Tham, Z. Q. Yue, C. F. Lee, and K. T. Law; 131(9), 1176-80 (T) (2005).
Digital Image Analysis of Dynamic Compaction Effects on Clay Fills. — R. L. Hu, Z. Q. Yue, L. G. Tham, and L. C. Wang; 131(11), 1411-22 (2005).

Yun, Tae Sup
Decementation, Softening, and Collapse: Changes in Small-Strain Shear Stiffness in k_0 Loading. — Tae Sup Yun and J. Carlos Santamarina; 131(3), 350-8 (2005).

Zhang, Jianfeng
Normalized Shear Modulus and Material Damping Ratio Relationships. — Jianfeng Zhang, Ronald D. Andrus, and C. Hsein Juang; 131(4), 453-64 (2005).

Zhang, L. M.
Reliability Evaluation of Cross-Hole Sonic Logging for Bored Pile Integrity. — D. Q. Li, L. M. Zhang, and W. H. Tang; 131(9), 1130-8 (2005).

Zhang, Lianyang
Ultimate Lateral Resistance to Piles in Cohesionless Soils. — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 131(1), 78-83 (2005).

Zhang, Limin
Predicting Bimodal Soil–Water Characteristic Curves. — Limin Zhang and Qun Chen; 131(5), 666-70 (T) (2005).

Zhang, Zhongjie
Cohesive Slope Surface Failure and Evaluation. — Zhongjie Zhang, Mingjiang Tao, and Mark Morvant; 131(7), 898-906 (2005).

Zhu, Ming
Shape Factors for Limit Loads on Square and Rectangular Footings. — Ming Zhu and Radoslaw L. Michalowski; 131(2), 223-31 (2005).

Znidarcic, Dobroslav
Closure to "Stability Analyses of Rainfall-Induced Landslides" by Brian D. Collins and Dobroslav Znidarcic. — Brian D. Collins and Dobroslav Znidarcic; 131(11), 1438 (2005).

Zornberg, Jorge G.
Analysis of a Large Database of GCL Internal Shear Strength Results. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 131(3), 367-80 (2005).

Zywicki, Daren J.
Mitigation of Near-Field Effects for Seismic Surface Wave Velocity Estimation with Cylindrical Beamformers. — Daren J. Zywicki and Glenn J. Rix; 131(8), 970-7 (2005).
The Fortieth Karl Terzaghi Lecture. — ; 131(5), 535 (2005).